Revision Date: 12/23/2019 Page 1 of 6

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY INFORMATION



10110 Sorrento Valley Road, San Diego, CA 92121 phone 858-350-9474 fax 858-350-9422

Email: <u>support@aculon.com</u> www.aculon.com

Emergency Telephone Number

CHEMTEL CHEMICAL

DOMESTIC NORTH AMERICA: 1-800-255-3924

INTERNATIONAL CALLERS OUTSIDE THE US

TERRITORIES AND CANADA: +1-813-248-0585

Revision Date: 12/23/2019

(1a,b) TRADE NAME(s) Aculon® Glass Repellency Treatment [10] CHEMICAL FAMILY/
APPLICATION/ RESTRICTIONS

Chemical Mixture
Chemical Surface Treatment

SECTION 2: HAZARDOUS IDENTIFICATION

[24] GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319 Causes Skin Irritation (Category 2), H315

LABELING ELEMENTS, Hazard, and Precautionary Statements



Signal word: Warning

Pictogram(s):

Hazard statement(s):

H315 Causes Skin Irritation

H319 Causes serious eye irritation.

Precautionary statement(s):

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Revision Date: 12/23/2019 Page 2 of 6

[2C]HAZARDS NOT OTHERWISE CLASSIFIED: none known

[2D] INGREDIENTS OF UNKNOWN ACUTE TOXICITY >/= 1%:

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENT(S)

[3a,b,d]CHEMICAL NAME/SYNONYMS	[3C]CAS NUMBER	EINECS NO.	CONC.*
Proprietary Fluorinated Alkane*	n/a	n/a	> 95%
Proprietary Active Blend*	n/a	n/a	< 5%

^{*} The specific chemical identity and/or percentage of this material has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

[4a]INHALATION	Remove person to fresh air. If you feel unwell, get medical attention.
[4a]SKIN CONTACT	Wash with soap and water. If signs/symptoms develop, get medical attention.
[4a]EYE CONTACT	Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If
	signs/symptoms persist, getmedical attention.
[4a]INGESTION	Rinse mouth. Do not induce vomiting. Get immediate medical attention.
	See Section 11.1. Information on toxicological effects.
SYMPTOMS &	
EFFECTS	
[4c]INDICATION OF	no data available
ANY IMMEDIATE	
MEDICAL ATTENTION	
AND SPECIAL	
TREATMENT NEEDED	

SECTION 5: FIREFIGHTING MEASURES

[5a] SUITABLE/	
UNSUITABLE	Non-combustible. Use a fire fighting agent suitable for surrounding fire.
EXTINGUISHING MEDIA	Non-combustible. Ose a life lighting agent suitable for suffounding life.
[5b] SPECIFIC HAZARDS IE	Exposure to extreme heat can give rise to thermal decomposition.
HAZARDOUS	j i
COMBUSTION PRODUCTS	
[5c] PRECAUTIONS /	When fire fighting conditions are severe and total thermal decomposition of the product is
SPECIAL PROTECTIVE	possible, wear full protective clothing, including helmet, self-contained, positive pressure or
	pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and
	legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: ACCIDENTAL RELEASE MEASURES

[64] PERSON PRECAUTIONS, PPE, EMERGENCY PROCEDURES	Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.
[6a] METHODS & MATERIALS OF CONTAINMENT & CLEANING	Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air.

Revision Date: 12/23/2019 Page 3 of 6

Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: HANDLING AND STORAGE

FOR SAFE HANDLING	Do not breathe thermal decomposition products. Avoid skin contact with hot material. For industrial or professional use only. Store work clothes separately from other clothing, food and tobacco products. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) No smoking: Smoking while using this product can result in contamination of the tobacco and/or smoke and lead to the formation of hazardous decomposition products.
[7b] CONDITIONS FOR	Keep container tightly closed. Store away from heat. Store away from acids. Store away from
SAFE STORAGE	strong bases. Store away from oxidizing agents.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

[8a] COMPONENT	PEL/ TWA/ STEL	CONTROL PARAMETERS	BASIS (ACGIH, OSHA ETC)	NOTES
Proprietary Fluorinated Alkane*	TWA	100 ppm	ACGIH TLV	

[8b] VENTILATION /	Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to
ENGINEERING	below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not
CONTROLS	adequate, use respiratory protection equipment.
[8c]RESPIRATORY	During heating:
PROTECTION	Use a positive pressure supplied-air respirator if there is a potential for over exposure from an
	uncontrolled release, exposure levels are not known, or under any other circumstances where
	air-purifying respirators may not provide adequate protection.
[8c]SKIN PROTECTION	No chemical protective gloves are required.
[8c]EYE PROTECTION	Select and use eye/face protection to prevent contact based on the results of an exposure
	assessment. The following eye/face protection(s) are recommended: Safety Glasses with side
	shields
[8c]CLOTHING	Wear appropriate protective clothing to prevent skin exposure.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

[9a]Appearance (physical state,	Liquid, Clear Colorless	[9]jUpper/lower flammability or	None detected
color, etc.		explosive limits:	
[9b] Odor	odor-less	[9k]Vapor pressure	No Data Available
[9c]Odor threshold	no data available	[91]Vapor density	Approximately 14.3
			[Ref Std: AIR=1]
Hq [be]	Not Applicable	[9m]Relative Density	1.6 g/ml [@ 20 °C]
[9e]]Melting point/freezing point	-100 °C	[9n]Solubility (in H ₂ O)	< 0.004 ppm
Initial boiling point and boiling	129 °C	[90]Partition coefficient:	6
range		n-octanol/water	
թյFlash point	No flash point	[9p]Auto-ignition temperature	> 250 °C

Revision Date: 12/23/2019 Page 4 of 6

™jEvaporation rate	No Data Available	[9q]Decomposition	no data available
		temperature	
∞Flammability (solid, gas)	Not Applicable	[9r]Viscosity	0.9 centistoke [@ 25 °C]

SECTION 10: STABILITY AND REACTIVITY

[10a] REACTIVITY	This material may be reactive with certain agents under certain conditions - see the remaining		
	headings in this section.		
[10b] CHEMICAL STABILITY	Stable.		
[10c] POSSIBILITIES OF	Hazardous polymerization will	not occur.	
HAZARDOUS REACTIONS			
[10d] CONDITIONS TO AVOID	None known.		
[100] INCOMPATIBLE MATERIALS	Strong acids, Strong bases, Strong oxidizing agents		
[10f] HAZARDOUS			
DECOMPOSITION PRODUCTS	Hydrogen Fluoride	At Elevated Temperatures - extreme conditions of heat	
	Irritant Vapors or Gases	At Elevated Temperatures - extreme conditions of heat	
	Toxic Vapor, Gas, Particulate At Elevated Temperatures - extreme conditions of heat		
	Refer to section 5.2 for hazardous decomposition products during combustion. If the product is exposed to extreme condition of heat from misuse or equipment failure, toxic decomposition products that include hydrogen fluoride and perfluoroisobutylene can occur.		

SECTION 11: TOXICOLOGY INFORMATION

[11a] LIKELY ROUTES OF	
EXPOSURE	INHALATION: Vapors from heated material may cause irritation of the respiratory system.
	Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose
	and throat pain.
	INGESTION:No health effects are expected.
	SKIN: Contact with the skin during product use is not expected to result in significant irritation.
	EYE CONTACT: Vapors from heated material may cause eye irritation. Signs/symptoms may
	include redness, swelling, pain, tearing, and blurred or hazy vision.
[11b] SYMPTOMS RELATED	INHALATION: Vapors from heated material may cause irritation of the respiratory system.
TO PHYSICAL,	Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose
CHEMICAL & TOXIC CHARACTERISTICS	and throat pain.
OHARAGIERIOTIOO	INGESTION:No health effects are expected.
	SKIN: Contact with the skin during product use is not expected to result in significant irritation.
	EYE CONTACT: Vapors from heated material may cause eye irritation. Signs/symptoms may
	include redness, swelling, pain, tearing, and blurred or hazy vision.
[11d] DELAYED /	Reproductive toxicity: no data available
IMMEDIATE EFFECTS, CHRONIC EFFECTS	Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.
FROM SHORT/LONG	Specific target organ toxicity - repeated exposure: no data available
TERM EXPOSURE	Aspiration hazard: no data available
[11D] NUMERICAL	Acute Toxicity
MEASURES OF	Proprietary Fluorinated Alkane*

Revision Date: 12/23/2019 Page 5 of 6

TOXICITY	Dermal	Rat LD50 > 2,000 mg/kg	
	Proprietary Fluorinated Alkane* Inhalation-Vapor (4 hours)	Rat LC50 > 50 mg/l	
	Proprietary Fluorinated Alkane*	Nat Ecot > 50 mg/l	
	Ingestion	Rat LD50 > 2,000 mg/kg	
[11e]	Carcinogenicity: Data not available or insufficient for classification		
CARCINOGENICIT			

SECTION 12: ECOLOGICAL INFORMATION

	Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components. Toxicity to fish LC50 - No data available Toxicity to daphnia and other aquatic invertebrates: No data available Toxicity to algae EC50 - No data available
[126]PERSISTENCE AND DEGRADABILITY	No data available
[12c]BIOACCUMULATI VE POTENTIAL	No data available
[12d] MOBILITY IN SOIL	No data available
12e)OTHER ADVERSE EFFECTS (OZONE LAYER ETC.)	No data available

SECTION 13: DISPOSAL CONSIDERATIONS

^{ig}Dispose of contents/ container in accordance with the local/regional/national/international regulations. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous (chemical chemicals substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Contaminated Packaging Disposal: Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: TRANSPORTATION INFORMATION

[14a] UN/NA	[14b] UN/NA PROPER SHIPPING NAME	[14ca] TRANSPORT HAZARD CLASS	[14d] PACKING GROUP

	US DOT/IATA	Not regulated
--	-------------	---------------

Revision Date: 12/23/2019 Page 6 of 6

[14d] ENVIRONMENTAL	Not regulated
HAZARDS	
[14f] BULK TRANSPORT	Not regulated
(MARPOL 73/78/IBC CODE)	
[149]SPECIAL PRECAUTIONS	Not regulated

SECTION 15: REGULATORY INFORMATION

П	2

TSCA	The components in this mixture are listed on the US inventory.
OSHA	This document has been prepared in accordance with the SDS requirements
	of the OSHA Hazard Communication Standard.
SARA SECTION 302 EXTREMELY	No chemicals in this material are subject to the reporting requirements of
HAZARDOUS SUBSTANCES	SARA Title III, Section 302.
The following components are subject to	This material does not contain any chemical components with known CAS
reporting levels established by SARA	numbers that exceed the threshold (De Minimis) reporting levels established
Title III, Section 313	by SARA Title III, Section 313
Sara 311/312 Hazards	Fire Hazard - No; Pressure Hazard - No; Reactivity Hazard - No; Immediate
	Hazard - Yes; Delayed Hazard - No
Massachusetts Right To Know	not listed
Components	
Pennsylvania Right To Know	not listed
Components	
New Jersey Right To Know Components	not listed
California Prop. 65 Components	This product does not contain any chemicals known to State of California to
	cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION

Revision Date: see the top of each page of this SDS

HMIS Rating

Health hazard: 1

Chronic Health Hazard: 1

Flammability: 1

Physical Hazard 0

NFPA Rating

Health hazard: 3

Instability: 0

Fire Hazard: 1

Reactivity Hazard: 0

INFORMATION CONTAINED IN THIS SAFETY DATA SHEET IS FOR USE BY TECHNICALLY QUALIFIED PERSONNEL AT THEIR DISCRETION AND RISK. ALL STATEMENTS, TECHNICAL INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED ON TESTS AND DATA WHICH WE BELIEVE TO BE RELIABLE, BUT THE ACCURACY OR COMPLETENESS THEREOF IS NOT GUARANTEED AND NO WARRANT OF ANY KIND IS MADE WITH RESPECT THERETO. SINCE THE COMPANY SHALL HAVE NO CONTROL OF THE USE OF THE PRODUCT DESCRIBED HEREIN, THE COMPANY ASSUMES NO LIABILITY OF LOSS OR DAMAGE INCURRED FROM THE PROPER OR IMPROPER USE OF SUCH PRODUCT.

DISCLAIMER

This material must be handled by/under direct supervision of technically qualified persons. Not for drug, household or other uses.