

Revision Number: 003.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

as QN Product type: Die att Restriction of Use: None i Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

LOCTITE ABLESTIK QMI505MT known IDH number: as QMI 505MT Stock 5cc EFD Die attach adhesive Item number: None identified Region: Contact infor Telephone: +1

ər:

Item number:QM0507-V67Region:United StatesContact information:Telephone: +1 (860) 571-5100MEDICAL EMERGENCYPhone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORTEMERGENCYPhone:CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887Internet:w ww.henkelna.com

449627

Contains one or more components for which a Toxic Substances Control Act (TSCA) Low Volume Exemption (LVE) applies. See Section 15.

2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
DANGER:	CAUSES SKIN IRRITATION.
	MAY CAUSE AN ALLERGIC SKIN REACTION.
	CAUSES SERIOUS EYE IRRITATION.
	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING
	DIFFICULTIES IF INHALED.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
RESPIRATORY SENSITIZATION	1
SKIN SENSITIZATION	1

PICTOGRAM(S)



Precautionary Statements

Prevention:	Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Contaminated work clothing should not be allow ed out of the workplace. Wear protective gloves, eye protection, and face protection. In case of inadequate ventilation wear respiratory protection.
Response:	F ON SKIN: Wash with plenty of water. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. If experiencing respiratory symptoms: Call a poison center or physician. Take off contaminated clothing.
Storage:	Not prescribed
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CASNumber	Percentage*	
Silver	7440-22-4	70 - 80	
Bismaleimide resin	Proprietary	10 - 20	
Acrylate	Proprietary	1-5	
Additive	Proprietary	1-5	
Substituted silane	Proprietary	0.1 - 1	
Methylacrylic acid, Pd (2+) salt	Unknow n	0.1 - 1	

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. F	FIRST AID MEASURES
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin contact:	Immediately flush skin w ith plenty of w ater (using soap, if available). Remove contaminated clothing and footwear. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.
Symptoms:	See Section 11.
5. FIR	E FIGHTING MEASURES
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Special fire fighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool w ith w ater spray.
Unusual fire or explosion hazards:	Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
Hazardous combustion products:	Oxides of carbon. Oxides of Metals in Section 3. Toxic and irritating vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, is olate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Do not allow product to enter sew er or waterways.

Clean-up methods:

Evacuate and ventilate spill area; dike spill to prevent entry into w ater system; w ear full protective equipment during clean-up. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, saw dust). Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Handling:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed.

Storage:

Keep container tightly closed and in a cool, w ell-ventilated place aw ay from incompatible materials. Keep aw ay from heat, spark and flame. Protect from direct sunlight. Maintain head space in storage containers to support oxygen requirements of the inhibitor(s).

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	osha pel	AIHA WEEL	OTHER
Silver	0.1 mg/m3 TWA Dust and fume.	0.01 mg/m3 PEL (as Ag)	None	None
Bismaleimide resin	None	None	None	None
Acrylate	None	None	None	None
Additive	None	None	None	None
Substituted silane	None	None	None	None
Methylacrylic acid, Pd (2+) salt	None	None	None	None
Engineering controls:		khaust ventilation is recor nt to control airborne cont		
Respiratory protection:	Use NIC limit(s).	OSH approved respirator	if there is potential to ex	ceed exposure
Eye/face protection:	be used	goggles or safety glasses d if the potential for splash rs and eye w ash stations s	ning or spraying of produ	

Skin protection:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Boiling point/range: Specific gravity: Vapor density: Flash point: Flam mable/Explosive limits - low er: Flam mable/Explosive limits - upper: Autoignition temperature: Liquid or paste Silver mild Not available. Not available. Negligible Not determined Not available. > 93 °C (> 199.4 °F) Not available. Not available. Not available. Not available. Not available.

Product name: LOCTITE ABLESTIK QMI505MT know n as QMI 505MT Stock 5cc EFD Page 3 of 6 Flam m ability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content: Viscosity: Decom position temperature: Not applicable Not available. Insoluble Not available. Not available. Not available. Not available.

10. STABILITY AND REACTIVITY

Stability:	Stable at normal conditions.
Hazardous reactions:	May occur with excessive aging, excessive heat, polymerization catalyst, inhibitor depletion, direct sunlight and under oxygen-free atmospheres.
Hazardous decomposition products:	Oxides of carbon. Oxides of Metals in Section 3. Toxic fumes. Irritating vapors.
Incompatible materials:	Oxidizing agents. Reducing agents. Strong acids and strong bases. Free radical initiators. Peroxides.
Reactivity:	Not available.
Conditions to avoid:	Keep aw ay from heat, ignition sources and incompatible materials. Protect from direct sunlight. Loss of polymerization inhibitor. Loss of dissolved air.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

Causes skin irritation. May cause allergic skin reaction. Argyria (a non-toxic, cosmetic blue-gray discoloration of the skin and mucous membranes that is irreversible).
Causes serious eye irritation. May cause gastrointestinal tract irritation if sw allowed.
0

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Silver	Oral LD50 (Rat) = > 5,000 mg/kg Dermal LD50 (Rat) = > 2,000 mg/kg	Allergen, Eyes, Irritant, Respiratory, Skin
Bismaleimide resin	None	No Data
Acrylate	None	Irritant, Allergen
Additive	None	No Records
Substituted silane	None	Irritant, Allergen
Methylacrylic acid, Pd (2+) salt	None	No Data

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Silver	No	No	No
Bismaleimide resin	No	No	No
Acrylate	No	No	No
Additive	No	No	No
Substituted silane	No	No	No
Methylacrylic acid, Pd (2+) salt	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Informa	ation provided is for unused product only.
Recommended method of disposal:	Follow all local, state, federal and provincial regulations for disposal.
Hazardous waste number:	This product contains a component or components identified as hazardous under 40 CFR 261.24. D011: Silver (Check TCLP Level).
14. T	RANSPORT INFORMATION
The transport information provided in this package/configuration.	section only applies to the material/formulation itself, and is not specific to an y
U.S. Department of Transportation Ground Propershipping name:	d (49 CFR) RQ, Environmentally hazardous substance, liquid, n.o.s. (Up to 30 ml max per inner/primary package w hen shipped as originally packaged only)
Hazard class or division: Identification number : Packing group:	9 UN 3082
DOT Hazardous Substance(s):	Silver
International Air Transportation (ICAO/IAT	
Propershipping name:	RQ, Environmentally hazardous substance, liquid, n.o.s. (Silver) (Up to 30 ml max per inner/primary package w hen shipped as originally packaged only)
Hazard class or division: Identification number:	9 UN 3082
Packing group:	III
Water Transportation (IMO/IMDG)	
Proper shipping name:	RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver) (Up to 30 ml max per inner/primary package w hen shipped as originally packaged only)
Hazard class or division:	9
Identification number:	UN 3082

15. REGULATORY INFORMATION

lll Silver

United States Regulatory Information

Packing group: Marine pollutant:

TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	This product contains one or more components that are exempt from listing on the U.S. Toxic Substances Control Act (TSCA) inventory because a Low Volume Exemption (LVE) has been granted in accordance with 40 CFR 723.50. Quantities may be limited. None above reporting de minimis
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis. Immediate Health This product contains the follow ing toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Silver (CAS# 7440-22-4).
CERCLA Reportable quantity:	Silver (CÁS# 7440-22-4) 1,000 lbs. (454 kg)
California Proposition 65:	This product contains a chemical know n in the State of California to cause cancer. This product contains a chemical know n to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2,3,4,6,7,8,10,11,13,14,15

Prepared by: Product Safety and Regulatory Affairs

Issuedate: 01/29/2018

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.