OPTOLINQ[®] Epoxy Molding Compound GT-W170-2

This MSDS adheres to the standards and regulatory requirements of China.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name	:	Epoxy Molding Compound, OPTOLINQ [®] GT-W170-2
Product Use	:	Epoxy molding compound, for IC encapsulation.
Manufactured for CaplinQ by	:	TECORE SYNCHEM, INC.
		BL.13, Marine Innovation Park, No. 4668 Xinbei Road, Tanggu, Binhai New Area, Tianjin, China 300451
		Telephone +86 22 66351157
		Fax +86 22 66351159
		Emergency Telephone +86 4001 831 756

2. HAZARDS IDENTIFICATION		
Classification of GHS		
Physical Hazards	:	No Classification
Health Hazards		
Skin Sensitization	:	Category 1, May cause eye irritation
Eye Irritation		Category 1
Respiratory Sensitization	:	Category 1
Environmental Hazards	:	Category 3
GHS Label Elements		
Pictograms or Hazard Symbols		
Signal Word	:	Danger
Hazard Statement	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled
		May cause an allergic skin reaction
		Causes eye irritation
Precautionary Statement		
Prevention	:	P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves. P264 Wash hands thoroughly after handling
Response	:	P302 + P352
		IF ON SKIN: Wash with plenty of soap and water.
		P333 + P313
		If skin irritation or rash occurs: Get medical advice/attention.
		P305 + P351 + P338
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Version 1.0 Revision Date 2022/10

	P337 + P313
	If eye irritation persists: Get medical advice/attention.
	P370+P378
	In case of fire, use water spray, dry chemical, carbon dioxide, or alcohol form for extinction.
Storage	: P403 + P235 Store in a well-ventilated place, and keep cool. P410 Protect from sunlight.
Disposal	: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

No				GHS Classification
1	Multi-functional epoxy	2451-62-9	1~20%	May cause long lasting harmful effects to aquatic life, 4; H413
2	Bisphenol A epoxy	25068-38-6	5~20%	No Classification
				Harmful if swallow; H302
				Skin irritation; H315
	19438-60-9/85-42-		Damage to eyes,H318	
3	3 Anhydride	7/935-79-5	3~30%	May cause allergy or asthma symptoms or breathing difficulties if inhaled, 1B; H334
				May cause an allergic skin reaction, 1B; H317
				May cause respiratory irritation; H335
4	Silica	60676-86-0	50~90%	Harmful if inhaled 4; H332
5	Titanium dioxide	13463-67-7	1~30%	No Classification

4. FIRST AID MEASURES

Inhalation	:	If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention
Skin Contact	:	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water
Eye Contact	:	If symptoms develop, flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention
Ingestion	:	Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

5. FIRE FIGHTING MEASURES

Nature of Hazard	:	No data available
Flash Point	:	No data available
Hazardous combustion products	:	By thermal decomposition or combustion, water, carbon monoxide and carbon dioxide may be generated.
Suitable extinguishing media	:	Water spray, dry chemical, carbon dioxide, sand or alcohol form.
Protection of Fire-Fighters	:	Do not inhale combustion to produce gas
		Wear individual breathing apparatus.
Others	:	The organic dust may form a combustible or explosive dust/gas mixture in proportion to air mixing to a sufficient amount.

Version 1.0 Revision Date 2022/10

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Wear suitable protective equipment to avoid contact with skin and eye, and inhale gas.
Environmental precautions	:	Prevent spills from entering sewers, watercourses or low area.
Methods for Cleaning up	:	Waste materials using a broom or cleaning machine not to raise dust.
Disposal	:	Consult a waste disposal company for optimum treatment, or abandon by fire according to the local regulation.

7. HANDLING AND STORAGE

Safe handling advice				
Advice on safe handling		Keep away from open fire, sparks and ignition sources		
		Prevention of dust development and deposition. Risk of dust explosion. Take measures to prevent electrostatic discharge		
		To prevent the occurrence of dust		
		Provide local ventilations and a full ventilation system.		
		Avoid contact with eyes, skin and clothing		
Storage				
Requirements for storage areas	:	Keep away from sunlight, and heat.		
and containers		Keep the products in a cool, well ventilated place.		
Storage limits	:	No information available		
Further information on storage conditions	:	No information available		
Materials to avoid	:	Strong acids, alkali		
Advice on protection against fire	:	No information available		

Advice on protection against fire and explosion	•	No information available
Mixed storage advice	:	No information available

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls	:	The use of local exhaust ventilation is recommended to control emissions of dust.
		Keep away from open fire, sparks and ignition sources
Respiratory protection	:	Avoid inhalation of dust
		In case of inadequate local exhaust ventilation, wear P1, P2 or P3 type particle filter mask
Eye protection	:	Safety goggles
		Avoid to contact with eyes.
Skin and body protection	:	Wear suitable protective gloves and clothing.
		Protective clothing must cover arms and legs
Hand protection	:	Avoid skin contact and wear scalding gloves

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state form	:	Solid tablet
Color	:	White

MATERIAL SAFETY DATA SHEET

Version 1.0 Revision Date 2022/10

Odor	:	Slight odor of epoxy or slight sour
рН	:	3~7

Specific temperature /temperature ranges at which changes in physical state occur

	0	
Boiling point	: No data available	
Boiling range	: No data available	
Fusing point	: No data available	
Decomposition temperature	: No data available	
Flash point	: No data available	
Autoignition temperature	: No data available	
Explosion properties	: No data available	
Vapour pressure	: No data available	
Vapour density	: No data available	
Density	: 1.6~2.2 g/cm ³	
Solubility in Water	: No data available	
Solubility in toluene	: Solvable	

10. STABILITY AND REACTIVITY

Stability		:	Decomposition at high temperature
			Risk of dust explosion
			Take measures to prevent electrostatic discharge
Condition to avo	id	:	Heat, flame, fire and any igniting source.
Materials to avo	id	:	Strong acids, alkali, strong oxidizer
Hazardous	decomposition	:	Carbon monoxide, carbon dioxide
products		Irritating organic vapor	
Hazardous Poly	merization	:	No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity	:	Bisphenol A epoxy , LD50=11400mg/Kg; Multi-functional epoxy, LD50=305mg/Kg; Anhydride, LD50=2500mg/kg
Subacute toxicity	:	No data available
Irritant effects	:	No data available
Sensitisation	:	No data available
Mutagenicity	:	No data available
Teratogenicity	:	No data available
Carcinogenicity	:	No data available
Other	:	No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity	:	No data available
Persistence and degradability	:	No data available
Bioaccumulative potential	:	No data available
Mobile in Soil	:	No data available
Other adverse effects	:	No data available

MATERIAL SAFETY DATA SHEET

Version 1.0 Revision Date 2022/10

13. DISPOSAL CONSIDERATIONS

Product	:	Any disposal must be in compliance with country, local, state and federal laws and regulations (contact country, local or state environmental agency specific rules.
Waste Disposal method	:	Consult waste disposal company for the optimum treatment.
Destroying Procedure Contaminated Packing	of :	Cleaned packaging may be recycled.

14. TRANSPORT INFORMATION

UN Classification	:	Not regulated as a hazardous material
UN Number	:	Not Applicable
Environmental Hazards	:	ADR: No
	:	IMDG/ADN: No
	:	IATA: No
UN Proper Shipping Name	:	Not Applicable
Packing Group Rate	:	Not Applicable
Special precautions for disposal	:	EmS FIRE SCHEDULE: F-A
		EmS SPILLAGE SCHEDULE: S-I

15. REGULATORY INFORMATION

The regulatory information listed below is no completed, and some other regulations may be applicable for the specified product(s) also.

Chinese Classification	:	No classification according to GB13690
EC Pictograms/ Hazard Codes	:	Not Applicable
EC Risk Phrases	:	No Classification
EC Safety Phrases	:	No Classification
EINECS	:	All components listed or polymer exempt.
TSCA	:	All components are listed on the TSCA Inventory
Other Regulatory Information	:	GB 6944-2005: Classification and Code of Dangerous Goods
		GB/T16483-2008: Safety Data Sheet for Chemical Products-Contents and Order of Sections.
		GB 13690-2009: General Rule for Classification and Hazard Communication of Chemicals
		GB 12268-2005: List of Dangerous Goods
		GBZ 2.1-2007: Occupational Exposure Limits for Hazardous Agents in The Workplace
		List of National Hazardous Wastes (CHINA)
16. OTHER INFORMATION		
Revision Number	:	1.0
Effective Date	:	2022-10
MSDS Distribution	:	The information in this document should be made available to all who may handle the product.
Disclaimer	:	The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates

Version 1.0 Revision Date 2022/10

only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.