Version 1.0 Revision Date 2021/11

# **High-performance Optical Epoxy Molding Compound**

# CHEMLINQ® TC-8090

This SDS adheres to the standards and regulatory requirements of China.

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

CHEMLINQ® TC-8090 **Product Name:** 

**Product Use:** CHEMLINQ® TC-8090 is developed for optical semiconductor encapsulation

Manufactured for CaplinQ by: TECORÉ SYNCHEM, INC.

BL.13, Marine Innovation Park, Xinbei RD., Binhai New Area, Tianjin, P.R.China

300451

Telephone +86 22 66351157 Fax +86 22 66351159

Emergency Telephone 4001831756(24h)

#### 2. HAZARDS IDENTIFICATION

#### **Health Hazards**

Skin Corrosion/

Irritation

Class 3, Prolonged or repeated skin contact may cause irritation

Eye Damage/ Irritation Class1, May cause eye irritation Class 3

**Environmental Hazards** 

**GHS** label elements





# **Precautionary Statement**

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves.

Wash hands thoroughly after handling

Response IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration
1,3,5-Triglycidyl Isocyanurate	2451-62-9	10-50%

Version 1.0

Revision Date 2021/11

Bisphenol- A Epoxy	25068-38-6	1-30%
Acid Anhydride	85-43-8	10-50%

#### 4. FIRST AID MEASURES

Inhalation : If symptoms develop, move individual away from exposure and into fresh air.

If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical

attention

Skin Contact : First aid is not normally required. However, it is recommended that exposed

areas be cleaned by washing with soap and water

Eye Contact : If symptoms develop, flush eyes gently with water for at least 15 minutes

while holding eyelids apart; seek immediate medical attention

Ingestion : Seek medical attention. If individual is drowsy or unconscious, do not give

anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

#### 5. FIRE FIGHTING MEASURES

Nature of Hazard : May produce oxides of carbon if incomplete combustion occurs.

Flash Point : No data

Hazardous combustion products : Stable under recommended storage conditions. By combustion, formation of

toxic products: carbon, carbon monoxide and carbon dioxide with black

smoke

Suitable extinguishing media : Dry chemical, carbon dioxide, foam, dry sand

Protection of Fire-Fighters : Wear full protective clothing and self-contained breathing appratus with full

face-piece.

Others :

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear suitable protective equipment to avoid contact with skin and eye, and

inhale gas.

Environmental precautions : Prevent spills from entering sewers, watercourses or low area.

Methods for Cleaning up : Waste materials using a broom or cleaning machine not to raise dust.

Disposal : Consult a waste disposal company for optimum treatment, or abandon by fire

according to the local regulation.

#### 7. HANDLING AND STORAGE

Safe handling advice

Advice on safe handling : 1) When using, workplace ventilation is required-NO SMOKING.

2) Prevention of Fire and Explosion

Storage

Requirements for storage areas

and containers

Keep under 5 ℃ in covered containers and away from direct sunlight, heat

and open flames when not in use.

Storage limits : Keep at temperature not exceeding 5 degree C

Further information on storage : No information available

Version 1.0

Revision Date 2021/11

conditions

Materials to avoid : Strong acids, alkali, oxidizing agent

Advice on protection against fire

and explosion

No information available

Mixed storage advice : No information available

#### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Ventilation system : Adequate facilities are required for each mold press to exhaust it's fume and

smell.

The common ventilation system of molding machines is adequate

(recommended wind volume higher than 12m³/min and wind speed higher

than 0.5m/s, static pressure approx. 200mm Aq)

**Respiratory protection** : Half mask respirator with an organic vapor cartridge.

**Eye protection** : Safety goggles.

**Skin and body protection** : Wear suitable protective gloves and clothing.

**Specific hygiene measures** : When using, do not eat or smoke.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state form : Tablet Color : Blue

Odor : Odor when molding pH : No data available

# Specific temperature /temperature ranges at which changes in physical state occur

Boiling point : No data available
Boiling range : No data available

Fusing point : 70-110 °C

Decomposition temperature : Above 200 °C

Flash point : No data

Autoignition temperature : Above 200 °C

Explosion properties : No data available

Vapour pressure : No data available

Vapour density : No data available

Density : 1.25-1.35g/cm\*3 (Specific Gravity)

Solubility in Water : Not solve in water

Solubility : Not miscible in water, miscible in Ketone

#### 10. STABILITY AND REACTIVITY

Stability : Stable under unopened conditions at below 5℃, at least 6 months in a closed

container.

Condition to avoid : Store in high temperature or humidity.

Materials to avoid : Strong acids, oxidizing agents or harderners for epoxy resins.

Hazardous decomposition

products

Themal decomposition may form carbon monoxide, carbon dioxide, nitrogen,

nitrogen oxide and water vapor.

Hazardous Polymerization : Will not occur at room temperature and pressure.

Version 1.0 Revision Date 2021/11

#### 11. TOXICOLOGICAL INFORMATION

1,3,5-Triglycidyl Isocyanurate Oral Mouse LD50=715mg/Kg Acute toxicity

Bisphenol-A epoxy Oral mouse LD50=11400mg/Kg

Acid anhydride Oral Mouse LD50=5410mg/kg

Subacute toxicity No data available Irritant effects No data available Sensitisation No data available Mutagenicity No data available Teratogenicity No data available No data available Carcinogenicity

Other NA

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity effects 1,3,5-Triglycidyl Isocyanurate: LC50 (96h) > 77 mg/L (Fish) (Danio rerio);

EC50 (24h) 100 mg/L (Daphnia); EC50 (72h) 29 mg/L (Algae)

(Desmodesmus subspicatus)

Acid anhydride: aquatic plants(65.7: 72 h Desmodesmus subspicatus mg/L EC50); Fish(610: 48 h Leuciscus idus mg/L LC50 static); crustacea(117: 24 h

Daphnia magna mg/L EC50)

No data available Biodegradability Abiotic degradation No data available Bioaccumulation No data available No data available Further information on ecology

# 13. DISPOSAL CONSIDERATIONS

Product Any disposal must be in compliance with country, local, state and federal

laws and regulations (contact country, local or state environmental agency

specific rules.

Waste Disposal method Consult waste disposal company for the optimum treatment.

Destroying Procedure

Contaminated Packing

Cleaned packaging may be recycled.

# 14. TRANSPORT INFORMATION

**UN Classification** No Classification

of

**UN Number** No

ADR: No **Environmental Hazards** 

IMDG/ADN: No

IATA: No

**UN Proper Shipping Name** Epoxy, Tablet Packing Group Rate Not Applicable

# 15. REGULATORY INFORMATION

Version 1.0

Revision Date 2021/11

The regulatory information listed below is no completed, and some other regulations may be applicable for the specified product(s) also.

Chinese Classification : No classification according to GB13690

EC Pictograms/ Hazard Codes : Not Applicable
EC Risk Phrases : No Classification
EC Safety Phrases : No Classification

EINECS : All components listed or polymer exempt.

TSCA : All components are listed on the TSCA Inventory

Other Regulatory Information : GB 6944-2005: Classification and Code of Dangerous Goods

GB/T16483-2008: Safety Data Sheet for Chemical Products-Contents and

Order of Sections.

GB 13690-2009: General Rule for Classification and Hazard Communication

of Chemicals

GB 12268-2005: List of Dangerous Goods

GBZ 2.1-2007: Occupational Exposure Limits for Hazardous Agents in The

Workplace

List of National Hazardous Wastes (CHINA)

#### 16. OTHER INFORMATION

Revision Number : 1.0
Effective Date : 2021-11

MSDS Distribution : The information in this document should be made available to all who may

handle the product.

Disclaimer : The information provided in this Material Safety Data Sheet is correct to the

best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.