

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

SECTION 1. IDENTIFICATION

Product name : TG3000I

Number : 000000024073

Product Use Description : Electronic Materials

Manufacturer or supplier's details : Honeywell International Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546

For more information call : 1-480-293-9800(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or +1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : paste

Color : white

Odor : none

Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Hazards not otherwise classified : Repeated or prolonged exposure may irritate eyes, skin and respiratory system.

Carcinogenicity

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Aluminium oxide	1344-28-1	60.00 - 80.00 %
Zinc oxide	1314-13-2	10.00 - 30.00 %
Polydimethylsiloxane	63148-62-9	5.00 - 10.00 %

SECTION 4. FIRST AID MEASURES

- General advice : Get medical attention. Show this safety data sheet to the doctor in attendance. First aider needs to protect himself.
- Inhalation : Remove victim from exposure and then have him lie down in the recovery position. If not breathing, give artificial respiration. Use oxygen as required, provided a qualified operator is present. Keep respiratory tract clear. Keep patient warm and at rest. If symptoms persist, call a physician.
- Skin contact : Take off immediately all contaminated clothing. Wash off with soap and plenty of water. Call a physician if irritation develops or persists.
- Eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.
- Ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If vomiting occurs naturally,

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

have the victim lean forward to reduce risk of aspiration. Call a physician.

Notes to physician

Indication of immediate medical attention and special treatment needed, if necessary : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO2)
Dry powder
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during firefighting : The product is not flammable.
Fire or intense heat may cause violent rupture of packages.
Hazardous decomposition products formed under fire conditions.

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : Evacuate personnel to safe areas.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : Evacuate personnel to safe areas.

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

protective equipment and
emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away.
Ensure adequate ventilation.
Avoid breathing vapours, mist or gas.
Avoid contact with skin, eyes and clothing.

Environmental precautions

: Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
Do not allow run-off from fire fighting to enter drains or water courses.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for
containment and cleaning
up

: Ventilate the area.
Sweep up and shovel into suitable containers for disposal.
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE**Handling**Precautions for safe
handling

: Wear personal protective equipment.
Use only with adequate ventilation.
Avoid breathing vapours, mist or gas.
Avoid contact with skin, eyes and clothing.

Advice on protection
against fire and explosion

: Normal measures for preventive fire protection.

StorageConditions for safe storage,
including any
incompatibilities

: Keep tightly closed in a dry, cool and well-ventilated place.
Store in original container.
Store in upright position only.
Protect from physical damage.
Store away from incompatible substances.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures

: Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

selection, use and care of personal protective equipment.
 Avoid breathing vapours, mist or gas.
 Avoid contact with skin, eyes and clothing.

- Engineering measures : Use with local exhaust ventilation.
- Eye protection : Safety glasses with side-shields
- Hand protection : Protective gloves
 Gloves must be inspected prior to use.
 Replace when worn.
- Skin and body protection : Protective suit
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Aluminium oxide	1344-28-1	TWA : Time weighted average	1 mg/m3	2009	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further information	:	Form of exposure : Respirable fraction.			

Aluminium oxide	1344-28-1	PEL : Permissible exposure limit	5 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Further information	:	Form of exposure : Respirable fraction.			

SAFETY DATA SHEET

Honeywell**TG3000I****10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Aluminium oxide	1344-28-1	PEL : Permissible exposure limit	15 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
-----------------	-----------	---	----------	------------	---

Further information	:	Form of exposure : Total dust.			
------------------------	---	--------------------------------	--	--	--

Aluminium oxide	1344-28-1	TWA : Time weighted average	5 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
-----------------	-----------	--------------------------------------	---------	------	--

Further information	:	Form of exposure : Respirable fraction.			
------------------------	---	---	--	--	--

Aluminium oxide	1344-28-1	TWA : Time weighted average	10 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
-----------------	-----------	--------------------------------------	----------	------	--

Further information	:	Form of exposure : Total dust.			
------------------------	---	--------------------------------	--	--	--

Aluminium oxide	1344-28-1	TWA : Time weighted average	50 millions of particles per cubic foot of air	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
-----------------	-----------	--------------------------------------	--	------------	---

Further information	:	Form of exposure : Total dust.			
------------------------	---	--------------------------------	--	--	--

Aluminium oxide	1344-28-1	TWA : Time weighted average	5 mg/m3	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
-----------------	-----------	--------------------------------------	---------	------------	---

Further information	:	Form of exposure : Respirable fraction.			
------------------------	---	---	--	--	--

SAFETY DATA SHEET

Honeywell**TG3000I****10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Aluminium oxide	1344-28-1	TWA : Time weighted average	15 mg/m3	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure : Total dust.			

Aluminium oxide	1344-28-1	TWA : Time weighted average	15 millions of particles per cubic foot of air	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure : Respirable fraction.			

Zinc oxide	1314-13-2	STEL : Short term exposure limit	10 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further information	:	Form of exposure : Respirable fraction.			

Zinc oxide	1314-13-2	TWA : Time weighted average	2 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further information	:	Form of exposure : Respirable fraction.			

Zinc oxide	1314-13-2	REL : Recomm ended exposure limit (REL):	5 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Further information	:	Form of exposure : Fume.			

SAFETY DATA SHEET

Honeywell**TG3000I****10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Zinc oxide	1314-13-2	REL : Recomm ended exposure limit (REL):	5 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Further information	:	Form of exposure : Dust.			

Zinc oxide	1314-13-2	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	15 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Further information	:	Form of exposure : Dust.			

Zinc oxide	1314-13-2	STEL : Short term exposure limit	10 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Further information	:	Form of exposure : Fume.			

Zinc oxide	1314-13-2	PEL : Permissi ble exposure limit	5 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Further information	:	Form of exposure : Fume.			

SAFETY DATA SHEET

Honeywell**TG3000I****10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Zinc oxide	1314-13-2	PEL : Permissible exposure limit	5 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
------------	-----------	---	---------	------------	---

Further information	:	Form of exposure : Respirable fraction.			
------------------------	---	---	--	--	--

Zinc oxide	1314-13-2	PEL : Permissible exposure limit	15 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
------------	-----------	---	----------	------------	---

Further information	:	Form of exposure : Total dust.			
------------------------	---	--------------------------------	--	--	--

Zinc oxide	1314-13-2	STEL : Short term exposure limit	10 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
------------	-----------	--	----------	------	--

Further information	:	Form of exposure : Fume.			
------------------------	---	--------------------------	--	--	--

Zinc oxide	1314-13-2	TWA : Time weighted average	5 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
------------	-----------	--------------------------------------	---------	------	--

Further information	:	Form of exposure : Fume.			
------------------------	---	--------------------------	--	--	--

Zinc oxide	1314-13-2	TWA : Time weighted average	5 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
------------	-----------	--------------------------------------	---------	------	--

Further information	:	Form of exposure : Respirable fraction.			
------------------------	---	---	--	--	--

SAFETY DATA SHEET

Honeywell**TG3000I****10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Zinc oxide	1314-13-2	TWA : Time weighted average	10 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Further information	:	Form of exposure : Total dust.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: paste
Color	: white
Odor	: none
Odor threshold	: Note: no data available
pH	: Note: no data available
Melting point/range	: Note: no data available
Boiling point/boiling range	: Note: no data available
Flash point	: Note: Not applicable
Evaporation rate	: Note: no data available
Lower explosion limit	: Note: no data available
Upper explosion limit	: Note: no data available
Vapor pressure	: Note: no data available
Vapor density	: Note: no data available

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Density : 3.4 g/cm³ at 25 °C

Water solubility : Note: no data available

Partition coefficient: n-octanol/water : Note: no data available

Ignition temperature : Note: no data available

Decomposition temperature : Note: no data available

Viscosity, dynamic : Note: no data available

Viscosity, kinematic : Note: no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : no data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Hazardous decomposition products formed under fire conditions.

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Note: no data available

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : Note: no data available

Skin irritation : Note: no data available

Eye irritation : Note: no data available

Sensitisation : Note: no data available

Further information : Note: No toxicology information is available.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish : Note: no data available

Toxicity to daphnia and other aquatic invertebrates : Note: no data available

Toxicity to algae : Note: no data available

Elimination information (persistence and degradability)

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Bioaccumulation : Note: no data available

Biodegradability : Note: no data available

Further information on ecology

Additional ecological information : We have no quantitative data concerning the ecological effects of this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT	UN/ID No.	: UN 3082
	Proper shipping name	: Environmentally hazardous substances, liquid, n.o.s. (Zinc oxide)
	Class	: 9
	Packing group	: III
	Hazard Labels	: 9

IATA	UN/ID No.	: UN 3082
	Description of the goods	: Environmentally hazardous substances, liquid, n.o.s. (Zinc oxide)
	Class	: 9
	Packaging group	: III
	Hazard Labels	: 9
	Packing instruction (cargo aircraft)	: 964
	Packing instruction (passenger aircraft)	: 964
	Packing instruction (passenger aircraft)	: Y964

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

IMDG	UN/ID No.	: UN 3082
	Description of the goods	: Environmentally hazardous substances, liquid, n.o.s. (ZINC OXIDE)
	Class	: 9
	Packaging group	: III
	Hazard Labels	: 9
	EmS Number	: F-A, S-F
	Marine pollutant	: yes

Not regulated for transport when single and combination packagings are <5L for liquids or <5kg for solids per ADR 2.2.9.2.10, IMDG 2.10.3 and IATA SP A197).

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances : On the inventory, or in compliance with the inventory

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

(IECSC)

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components : The following components are subject to reporting levels established by SARA Title III, Section 313:
: Aluminium oxide 1344-28-1
: Zinc oxide 1314-13-2

SARA 311/312 Hazards : Acute Health Hazard

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts RTK : Aluminium oxide 1344-28-1
: Zinc oxide 1314-13-2

New Jersey RTK : Aluminium oxide 1344-28-1
: Zinc oxide 1314-13-2

Pennsylvania RTK : Aluminium oxide 1344-28-1
: Zinc oxide 1314-13-2

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1	1
Flammability	: 1	1

TG3000I**10661494**

Version 1.1

Revision Date 01/15/2020

Print Date 02/20/2020

Physical Hazard : 0
Instability : 0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 05/24/2019

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group