

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 31.10.2017

Version No: 1


Revision: 31.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:**
Chemling Carcinogen Free Conditioning Sheets
Chemling WS300 CF Series & Lingsheet WS300 CF
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation:** Industrial use
- **Uses advised against:** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
CAPLINQ Europe BV
Industrieweg 15 C
1566 JN Assendelft
The Netherland +31
20 893 2224
reach@caplinq.com

CAPLINQ Corporation
957 Snowshoe Crescent
Ottawa, ON K1C 2Y3
Canada
+1 (613) 482 2215
- **1.4 Emergency telephone number:** +31 20 893 2224

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008** Skin
Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** 
- **Signal word** Danger
- **Hazard-determining components of labelling:**
2-aminoethanol
- **Hazard statements**

Trade name: Chemling Carcinogen Free Conditioning Sheets

H315 Causes skin irritation.

H318 Causes serious eye damage.

• Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

• 3.2 Chemical characterisation: Mixtures

• Dangerous components:

CAS: 141-43-5 2-aminoethanol

1 - 5%

EINECS: 205-483-3 Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, Index number: 603-030-00-8 H332; STOT SE 3, H335; Aquatic Chronic 3, H412

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation: Supply fresh air.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a doctor immediately.

• After swallowing: Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information

available. **• 4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Trade name: Chemling Carcinogen Free Conditioning Sheets

- Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Carbon monoxide
Carbon dioxide
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation.
Wear protective equipment. Keep unprotected persons away.
Avoid formation of dust.
Keep away from ignition sources.

(Contd. on page 3)

(Contd. of page 2)

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Pick up mechanically.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Prevent formation of dust.
Any unavoidable deposit of dust must be regularly removed.
Ensure good ventilation/exhaustion at the workplace.
 - **Information about fire and explosion protection:**
Dust can combine with air to form an explosive mixture.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
 - **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
 - **Information about storage in one common storage facility:** Store away from oxidising agents.
 - **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
-

Trade name: Chemling Carcinogen Free Conditioning Sheets

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 56-81-5 glycerol

WEL (Great Britain) Long-term value: 10 mg/m³

CAS: 141-43-5 2-aminoethanol

WEL (Great Britain) Short-term value: 7.6 mg/m³, 3 ppm
Long-term value: 2.5 mg/m³, 1 ppm
Sk

IOELV (EU) Short-term value: 7.6 mg/m³, 3 ppm
Long-term value: 2.5 mg/m³, 1 ppm
Skin

CAS: 13463-67-7 titanium dioxide

WEL (Great Britain) Long-term value: 10* 4** mg/m³
*total inhalable **respirable

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Do not eat, drink, smoke or sniff while working.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Store protective clothing separately.
 - Avoid contact with the eyes and skin.
 - The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 4)

Trade name: Chemling Carcinogen Free Conditioning Sheets

(Contd. of page

- 3) · **Respiratory protection:** Not necessary if room is well-ventilated.

· **Protection of hands:**

S

Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Solid

Colour:

Grey

· **Odour:**

Waxy

· **Odour threshold:**

Not determined.

· **pH-value:**

Not applicable.

· **Change in condition**

Melting point/freezing point:

Not determined.

Initial boiling point and boiling range:

Not applicable.

· **Flash point:**

Not applicable.

· **Flammability (solid, gas):**

Not determined.

· **Ignition temperature:**

450 °C (25038-36-2 Ethylene)

· **Decomposition temperature:**

Not determined.

· **Explosive properties:**

Product does not present an explosion hazard.

· **Explosion limits:**

Lower:

2,5 Vol %

Upper:

17 Vol %

· **Oxidising properties**

No

· **Vapour pressure:**

Not applicable.

· **Density at 20 °C:**

1 - 1,2 g/cm³

· **Relative density**

Not determined.

Trade name: Chemling Carcinogen Free Conditioning Sheets

- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with water:** Insoluble.

(Contd. on page 5)

(Contd. of page 4)

- **Partition coefficient: n-octanol/water:**
141-43-5 2-aminoethanol -2,3 logPow @ 25°C (OECD Guideline 107)
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** No decomposition if used and stored according to specifications.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

CAS: 141-43-5 2-aminoethanol

Oral LD50 1089 mg/kg (Rat) (OECD Guideline 401)
Dermal LD50 2504 mg/kg (Rabbit) (OECD Guideline 402)
Inhalative LC50 > 1.3 mg/L (Rat) (inhalation: vapour)
6 h

- **Primary irritant effect:**
 - Skin corrosion/irritation**
Causes skin irritation.
 - Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

Trade name: Chemling Carcinogen Free Conditioning Sheets

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**

CAS: 141-43-5 2-aminoethanol

- LC50 (96h) 349 mg/L (Fish) (Directive 92/69/EEC, Cyprinus carpio)
EC10 (0,5h) (static) > 1000 mg/L (Bacteria) (OECD Guideline 209, activated sludge)
nominal
EC50 (48h) (static) 65 mg/L (Daphnia) (EU Method C.2, Daphnia magna) nominal

EC50 (72h) (static) 2.8 mg/L (Algae) (OECD Guideline 201, Pseudokirchneriella subcapitata) nominal
NOEC (21d) 0.85 mg/L (Daphnia) (OECD Guideline 202, Daphnia magna)
NOEC (dynamic) 1.24 mg/L (Fish) (OECD Guideline 210, Oryzias latipes)
41 d
NOEC (72h) (static) 1 mg/L (Algae) (OECD Guideline 201, Pseudokirchneriella subcapitata)
nominal

(Contd. on page 6)

(Contd. of page 5)

- **12.2 Persistence and degradability**

141-43-5 2-aminoethanol > 90 % @ 21d (OECD Guideline 301A)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment** Not determined.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
 - **ADR/RID/ADN, IMDG, IATA** Void
 - **14.2 UN proper shipping name**
 - **ADR/RID/ADN, IMDG, IATA** Void
 - **14.3 Transport hazard class(es)**
 - **ADR/RID/ADN, IMDG, IATA**
 - **Class** Void
-

Trade name: Chemling Carcinogen Free Conditioning Sheets

- **14.4 Packing group**
- **ADR/RID/ADN, IMDG, IATA** Void
- **14.5 Environmental hazards:** Not applicable. · **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

(Contd. of page 6)

- **Relevant phrases**

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
UN: United Nations (also UNO: United Nations Organization)
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
ASTM: American Society for Testing and Materials
WAF: Water Accommodated Fraction
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 31.10.2017

Version No: 1

Revision: 31.10.2017

Page 9/9

Trade name: Chemling Carcinogen Free Conditioning Sheets

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
