

Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 10

SDS No.: 1086039

V001.0 Revision: 31.03.2018

printing date: 31.03.2018

HYSOL GR 9810-1P

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HYSOL GR 9810-1P

Contains:

2,2'-((3,5',5,5'-tetramethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(oxymethylene))-bis-oxirane

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Molding Compound

1.3. Details of the supplier of the safety data sheet

Manufacturer

Hysol Huawei Electronic Co., Ltd.

Songtiao Industrial Zone, Lianyungang, Jiangsu, China,

222000

T: +86 518-85155187

F: +86 518-85155060

1.4. Emergency telephone number

24 Hours Emergency Tel: +86 18115208319

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Skin sensitizer

H317 May cause an allergic skin reaction.

Carcinogenicity

H351 Suspected of causing cancer.

Category 1

Category 2

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Signal word: Warning

LOCTITE HYSOL GR 9810-1P known as Hysol GR9810-1P 14x4.7

V003.0 (15kg)

Hazard statement: H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

Precautionary statement:

Prevention

MSDS-No.: 284831

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Page 2 of 10

Precautionary statement:

Response

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General chemical description:

Epoxy resin

Base substances of preparation:

resins

organic amine

Filler

General chemical description:

Adhesive

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous	EC	content	Classification
components CAS-No.	Number		
Silica, vitreous 60676-86-0	262-373-8	80- < 95 %	Not classified
2,2'-((3,5',5,5'-tetramethyl-(1,1'-biphenyl)- 4,4'-diyl)-bis(oxymethylene))-bis-oxirane 85954-	413-900-7	1- < 5 %	Carc. 2 H351 Skin Sens. 1 H317
1,3,5-triazine-2,4,6(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6- triamine (1:1) 37640-57-6	253-575-7	1- < 5 %	STOT RE 2 H373

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

Skin contact:

Rinse with running water and soap.

Obtain medical attention if irritation persists.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

SDS-No.: 1086039 HYSOL GR 9810-1P Page 3 of 10

V001.0

4.2. Most important symptoms and effects, both acute and delayed

SKIN: Rash, Urticaria.

Prolonged or repeated contact may cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

5.2. Special hazards arising from the substance or mixture

Danger of decomposition if exposed to heat.

See section 10.

5.3. Advice for firefighters

Do not breathe combustion gases.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Depending on workplace dust concentration, wear dust filter mask with particle filter P1, P2 or P3.

Wear protective equipment.

Ensure adequate ventilation.

6.2. Environmental precautions

Do not allow to enter the ground / soil.

6.3. Methods and material for containment and cleaning up

Remove all sources of ignition.

Remove mechanically.

Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See advice in section 8

Avoid naked flames, sparking and sources of ignition.

Avoid skin and eye contact.

Avoid dust development and deposition - dust explosion risk. Take precautionary measures against static discharges.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

Good industrial hygiene practices should be observed.

Extractors are required on all machines used for thermal or for cutting and grinding processes.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container.

Store in a cool, dry place.

Keep away from heat and direct sunlight.

SDS-No.: 1086039 HYSOL GR 9810-1P Page 4 of 10

V001.0

7.3. Specific end use(s)

Molding Compound

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Silica, vitreous 60676-86-0	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Austria		0,3		
Belgium		0,1		
Denmark		0,1		0,2
Germany (AGS)		0,3 respirable aerosol		
Germany (DFG)		0,3 respirable aerosol		
Ireland		0,08		
Switzerland		0,3 respirable aerosol		
USA - NIOSH		0,05		
United Kingdom		0,08		_

Derived No-Effect Level (DNEL):

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine	Workers	inhalation	Long term exposure -		0,07 mg/m3	
(1:1) 37640-57-6			systemic effects			

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

In use may form flammable/explosive dust-air mixtures.

Thorough dedusting.

Avoid naked flames, sparking and sources of ignition.

Ensure good ventilation/suction at the workplace.

No further information, see section 7.

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Depending on workplace dust concentration, wear dust filter mask with particle filter P1, P2 or P3.

Hand protection:

SDS-No.: 1086039 HYSOL GR 9810-1P Page 5 of 10

V001.0

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing.

Skin protection:

Wear suitable protective clothing.

Protective clothing that covers arms and legs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance solid material

granules, tablet

black

Odor little intrinsic odour

Odour threshold No data available / Not applicable

pH No data available / Not applicable

Initial boiling point Polymerization may occur at elevated temperature.

Flash point Product is a solid.

Decomposition temperature

Vapour pressure

No data available / Not applicable

No data available / Not applicable

Density 1,7 - 2,1 g/cm3

(20 °C (68 °F))

Bulk density

No data available / Not applicable
Viscosity

No data available / Not applicable
Viscosity (kinematic)

No data available / Not applicable
Explosive properties

No data available / Not applicable
Not data available / Not applicable
Not miscible or difficult to mix

(20 ℃ (68 ℉); Solvent: Water)

Solubility (qualitative) Partially miscible

(20 ℃ (68 ℉); Solvent: ketones)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable No data available / Not applicable Flammability Auto-ignition temperature No data available / Not applicable Explosive limits No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate No data available / Not applicable No data available / Not applicable Vapor density No data available / Not applicable Oxidising properties

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with oxidants, acids and lyes

Polymerization may occur at elevated temperature or in the presence of incompatible materials.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

SDS-No.: 1086039 HYSOL GR 9810-1P Page 6 of 10

V001.0

10.4. Conditions to avoid

Danger of dust explosions.

Take measures to prevent the build-up of electrostatic charges.

Danger of decomposition if exposed to heat.

See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

10.5. Incompatible materials

See section reactivity

10.6. Hazardous decomposition products

Hydrocarbons

Irritating vapors.

May produce fumes when heated to decomposition. Fumes may contain carbon monoxide and other toxic fumes.

See section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

Oral toxicity:

May cause irritation to the digestive tract.

Eye irritation:

Prolonged or repeated contact may cause eye irritation.

Sensitizing:

May cause an allergic skin reaction.

Carcinogenicity:

Suspected of causing cancer

Acute oral toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
2,2'-((3,5',5,5'- tetramethyl-(1,1'- biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	LD50	3.563 mg/kg	oral		rat	EU Method B.1 bis (Acute Oral Toxicity
1,3,5-triazine- 2,4,6(1H,3H,5H)-trione, compound with 1,3,5- triazine-2,4,6-triamine (1:1) 37640-57-6	LD50	> 2.000 mg/kg	oral		rat	OECD Guideline 423 (Acute Oral toxicity)

Acute dermal toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
2,2'-((3,5',5,5'-	LD50	> 2.000 mg/kg	dermal		rat	EU Method B.3 (Acute
tetramethyl-(1,1'-						Toxicity (Dermal))
biphenyl)-4,4'-diyl)-						-
bis(oxymethylene))-bis-						
oxirane						
85954-11-6						

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
2,2'-((3,5',5,5'-	not irritating	4 h	rabbit	EU Method B.4 (Acute
tetramethyl-(1,1'-				Toxicity: Dermal Irritation /
biphenyl)-4,4'-diyl)-				Corrosion)

SDS-No.: 1086039 HYSOL GR 9810-1P Page 7 of 10

V001.0

bis(oxymethylene))-bis-	-		
oxirane			
85954-11-6			

Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
2,2'-((3,5',5,5'-	slightly irritating	24 h	rabbit	EU Method B.5 (Acute
tetramethyl-(1,1'- biphenyl)-4,4'-diyl)-				Toxicity: Eye Irritation / Corrosion)
bis(oxymethylene))-bis-				Corrosion)
oxirane				
85954-11-6				

Respiratory or skin sensitization:

Hazardous components	Result	Test type	Species	Method
CAS-No.				
2,2'-((3,5',5,5'-	not sensitising	Buehler	guinea pig	EU Method B.6 (Skin
tetramethyl-(1,1'-		test		Sensitisation)
biphenyl)-4,4'-diyl)-				
bis(oxymethylene))-bis-				
oxirane				
85954-11-6				

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
2,2'-((3,5',5,5'- tetramethyl-(1,1'- biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	positive	bacterial gene mutation assay	with and without		
	positive		with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
	no data	in vitro mammalian chromosome aberration test	with and without		EU Method B.10 (Mutagenicity
2,2'-((3,5',5,5'- tetramethyl-(1,1'- biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	positive	intraperitoneal		mouse	EU Method B.12 (Mutagenicity

Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
1,3,5-triazine- 2,4,6(1H,3H,5H)-trione, compound with 1,3,5- triazine-2,4,6-triamine	NOAEL=1,25 mg/kg	oral: gavage	90 ddaily	rat	
(1:1) 37640-57-6					

SECTION 12: Ecological information

General ecological information:

If used properly the product does not enter the drains.

In the cured state contribution of this product to Environmental Hazards is insignificant in comparison to articles in which it is used.

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

SDS-No.: 1086039 HYSOL GR 9810-1P Page 8 of 10

V001.0

12.1. Toxicity

Ecotoxicity:

Do not empty into drains / surface water / ground water.

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
2,2'-((3,5',5,5'-tetramethyl- (1,1'-biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	LC50	> 0,1 mg/l	Fish	24 h	Oncorhynchus mykiss	EU Method C.1 (Acute Toxicity for Fish)
2,2'-((3,5',5,5'-tetramethyl- (1,1'-biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	EC50	> 0,15 mg/l	Daphnia	24 h	Daphnia magna	EU Method C.2 (Acute Toxicity for Daphnia)
2,2'-((3,5',5,5'-tetramethyl- (1,1'-biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	NOEC	> 0,15 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)	EU Method C.3 (Algal Inhibition test)
	EC50	> 0,15 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata)	EU Method C.3 (Algal Inhibition test)
1,3,5-triazine- 2,4,6(1H,3H,5H)-trione, compound with 1,3,5-triazine- 2,4,6-triamine (1:1) 37640-57-6	LC50	> 10.000 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)

12.2. Persistence and degradability

Persistence and Biodegradability:

The product is not biodegradable.

12.3. Bioaccumulative potential / 12.4. Mobility in soil

Mobility:

Cured adhesives are immobile.

Bioaccumulative potential:

No data available.

Hazardous components CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
2,2'-((3,5',5,5'-tetramethyl- (1,1'-biphenyl)-4,4'-diyl)- bis(oxymethylene))-bis- oxirane 85954-11-6	2,9				20 ℃	OECD Guideline 107 (Partition Coefficient (noctanol / water), Shake Flask Method)

12.5. Results of PBT and vPvB assessment

Hazardous components	PBT/vPvB
CAS-No.	
1,3,5-triazine-2,4,6(1H,3H,5H)-trione,	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
compound with 1,3,5-triazine-2,4,6-triamine	Bioaccumulative (vPvB) criteria.
(1:1)	
37640-57-6	

12.6. Other adverse effects

No data available.

SDS-No.: 1086039 HYSOL GR 9810-1P Page 9 of 10

V001.0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Special waste incineration with the approval of the responsible local authority.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

Waste code

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packaging group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content (2010/75/EC)

0 %

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SDS-No.: 1086039 HYSOL GR 9810-1P Page 10 of 10

V001.0

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.