Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

SECTION 1. IDENTIFICATION

Product name : TA3000

Number : 000000025229

Product Use Description : Electronic Materials

Manufacturer or supplier's

details

Honeywell International Inc.

115 Tabor Road

Morris Plains, NJ 07950-2546

For more information call : +1-509-252-2200(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : paste

Color : white

Odor : slight

Classification of the substance or mixture

Classification of the substance : Skin sensitisation, Category 1

or mixture

GHS Label elements, including precautionary statements

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

Symbol(s)



Signal word : Warning

Hazard statements : May cause an allergic skin reaction.

Precautionary statements : **Prevention:**

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Contaminated work clothing should not be allowed out of the

workplace.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Aluminium oxide	1344-28-1	90.00 - 100.00 %
Proprietary Polymer	-	<=10.00 %

Page 2 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

Proprietary ingredient - <1.00 %

Proprietary ingredient - <1.00 %

SECTION 4. FIRST AID MEASURES

General advice : Get medical attention. Show this safety data sheet to the doctor

in attendance. First aider needs to protect himself.

Inhalation : Remove victim from exposure and then have him lie down in the

recovery position. If not breathing, give artificial respiration. Use oxygen as required, provided a qualified operator is present. Keep respiratory tract clear. Keep patient warm and at rest. If

symptoms persist, call a physician.

Skin contact : Take off immediately all contaminated clothing. Wash off with

soap and plenty of water. Call a physician if irritation develops or

persists.

Eye contact : In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or

persists.

Ingestion : If swallowed, rinse mouth with water (only if the person is

conscious). Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If vomiting occurs naturally, have the victim lean forward to reduce risk of aspiration. Call a

physician.

Notes to physician

Indication of immediate medical attention and special treatment needed, if

: Treat symptomatically.

necessary

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry powder Water spray

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: The product is not flammable.

Fire or intense heat may cause violent rupture of packages.

Hazardous decomposition products formed under fire

conditions.

Special protective equipment

for firefighters

: Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

Further information : Evacuate personnel to safe areas.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.

Wear personal protective equipment. Unprotected persons

must be kept away.

Ensure adequate ventilation.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

Do not allow run-off from fire fighting to enter drains or water

courses.

Page 4 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning

up

Ventilate the area.

Sweep up and shovel into suitable containers for disposal.

Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Wear personal protective equipment. Use only with adequate ventilation.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Storage

Conditions for safe storage,

including any incompatibilities Keep tightly closed in a dry, cool and well-ventilated place.

Store in original container. Store in upright position only. Protect from physical damage.

Store away from incompatible substances.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures Ensure that eyewash stations and safety showers are close to

the workstation location.

Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.

Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.

Engineering measures Use with local exhaust ventilation.

Eye protection Safety glasses with side-shields

Protective gloves Hand protection

Gloves must be inspected prior to use.

Page 5 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

Replace when worn.

Skin and body protection : Protective suit

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Exposure Guidelines

Components	CAS-No.	Value	Control	Upda	Basis
			parameters	te	
Aluminium oxide	1344-28-1	TWA: Time weighted average	1 mg/m3	2009	ACGIH:US. ACGIH Threshold Limit Values, as amended
Further : information	Form of exposure	: Respirable	e fraction.		

Aluminium oxic	le	1344-28-1	PEL: Permissi ble exposure limit	5 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Further information	:	Form of exposure :	Respirable	e fraction.		

Aluminium oxi	de	1344-28-1	PEL: Permissi ble exposure limit	15 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Further information	:	Form of exposure	: Total dust.			

Aluminium oxide	1344-28-1	TWA:	5 mg/m3	1989	Z1A:US. OSHA
		Time			Table Z-1-A (29
		weighted			CFR 1910.1000), as
		average			amended

Honeywell

20						
29 on 1.0		Re	vision Date	04/16/2020		Print Date 04/16/
011 1.0		110	VIOIOII Dato	0 1/ 10/2020		Time Bate 6 if Ton
Further information	:	Form of exposure	: Respirable	e fraction.		
Aluminium oxid	е	1344-28-1	TWA: Time weighted average	10 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Further information	:	Form of exposure	: Total dust			
Aluminium oxid	е	1344-28-1	TWA: Time weighted average	50 millions of particles per cubic foot of air	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure	: Total dust			1
Aluminium oxid	е	1344-28-1	TWA: Time weighted average	5 mg/m3	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure	: Respirable	e fraction.		
Aluminium oxid	е	1344-28-1	TWA: Time weighted average	15 mg/m3	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure	Total dust			
Aluminium oxid	е	1344-28-1	TWA: Time weighted average	15 millions of particles per cubic foot of air	03 2016	Z3:US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
Further information	:	Form of exposure	: Respirable	e fraction.		1

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : paste

Color : white

Odor : slight

Odor threshold : Note: no data available

pH : Note: no data available

Melting point/range : Note: no data available

Boiling point/boiling range : Note: no data available

Flash point : Note: Not applicable

Evaporation rate : Note: no data available

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

Vapor pressure : Note: no data available

Vapor density : Note: no data available

Density : 2.8 g/cm3 at 25 °C

Water solubility : Note: negligible

Page 8 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

Partition coefficient:

n-octanol/water

: Note: no data available

Ignition temperature : Note: no data available

Decomposition temperature : Note: no data available

Viscosity, dynamic : Note: no data available

Viscosity, kinematic : Note: no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Conditions to avoid : no data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Hazardous decomposition products formed under fire

conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Note: no data available

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : Note: no data available

Page 9 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

Skin irritation : Note: no data available

Eye irritation : Note: no data available

Sensitisation : Classification: May cause sensitisation by skin contact.

> Note: The product has not been tested. The information is derived from the properties of the individual components.

Further information : Note: May cause an allergic skin reaction.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

: Note: no data available Toxicity to fish

Toxicity to daphnia and other : Note: no data available

aquatic invertebrates

Toxicity to algae : Note: no data available

Elimination information (persistence and degradability)

Bioaccumulation : Note: no data available

Further information on ecology

Additional ecological

information

: We have no quantitative data concerning the ecological effects

of this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Page 10 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Industrial Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian **Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : Not in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

Chemical Substances

(IECSC)

China. Inventory of Existing : On the inventory, or in compliance with the inventory

Page 11 / 13

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020 Print Date 04/16/2020

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313:

: Aluminium oxide 1344-28-1

SARA 311/312 Hazards : Acute Health Hazard

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK : Aluminium oxide 1344-28-1

New Jersey RTK : Aluminium oxide 1344-28-1

Pennsylvania RTK : Aluminium oxide 1344-28-1

SECTION 16. OTHER INFORMATION

Health hazard : 2 2 2 Flammability : 1 1

Physical Hazard : 0

Instability : 0

Honeywell

TA3000

25229

Version 1.0 Revision Date 04/16/2020

Print Date 04/16/2020

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group